


Specifications and Installation Guide

B455-Edge B456-Edge SE Wall Hung Vanity Collection

Models

- B455-24-002-XX
- B455-30-002-XX
- B455-36-002-XX
- B455-42-002-XX
- B455-48C-002-XX
- B455-48D-002-XX
- B455-60C-002-XX
- B455-60D-002-XX
- B455-72D-002-XX
- B456-24-002-XX
- B456-30-002-XX
- B456-36-002-XX
- B456-42-002-XX
- B456-48C-002-XX
- B456-48D-002-XX
- B456-60C-002-XX
- B456-60D-002-XX
- B456-72D-002-XX



B465-Profile B466-Profile SE Free Standing Vanity Collection

Models

- B465-24-001-XX
- B465-30-001-XX
- B465-36-001-XX
- B465-42-001-XX
- B465-48C-001-XX
- B465-48D-001-XX
- B465-60C-001-XX
- B465-60D-001-XX
- B465-72D-001-XX
- B466-24-001-XX
- B466-30-001-XX
- B466-36-001-XX
- B466-42-001-XX
- B466-48C-001-XX
- B466-48D-001-XX
- B466-60C-001-XX
- B466-60D-001-XX
- B466-72D-001-XX




Table of Contents

	Page / Page
Specifications 24/30/36/42/48C.....	2
Specifications 48D.....	3
Specifications 60C.....	4
Specifications 60D/72D.....	5
Typical Installation: Wall Hung /B455-Edge/B456-Edge SE.....	6-7
Installation Steps: Wall Hung /B455-Edge/B456-Edge SE.....	8-9
Feet/Base Installation: Free Standing /B465-Profile/B466-Profile SE.....	10
Typical Installation: Free Standing /B465-Profile/B466-Profile SE.....	11-12

For clarification, please contact Madeli Customer Care at (800) 819-6988 Ext.1 or service@madeli.com
 Pour plus de précisions, veuillez contacter le service client Madeli au (800) 819-6988 Ext.1 ou service@madeli.com

Edge/Profile - 24"/30"/36"/42"/48" - Single Bowl
Edge SE/Profile SE - 24"/30"/36"/42"/48" - Single Bowl


Cabinet Specifications

Features

- Edge/Edge SE-Wall hung vanity or Profile/Profile SE-Free Standing Vanity
- Two fully adjustable drawers with full-extension soft-close European hardware.
- Top and Bottom drawers include adjustable tempered glass dividers
- Furniture grade plywood or moisture-resistant wood composite construction
- Finished with a sealed, decorative veneer or with premium polyurethane solid color paints
- Handle/Inlay/Feet finish options: polished chrome (PC), brushed nickel (BN), polished nickel (PN), matte black (MB) and satin brass (SB)
- Feet furnished separately for field installation.


Drawer Boxes

- Matching color for solid color units
- Light grey for wood veneer units
- Solid wood with dovetail joints for decorative veneer units




Top/Basin options


- Ceramic basins up to 36"
- X-Stone 1-1/2"H top/basin for all sizes
- X-Stone 4-1/2"H Trough sink for all sizes
- Quartzstone 3/4"H countertop with ceramic basin for all sizes



SIDE VIEW



TOP VIEW



MODEL	CW	SCW	HL (C.C.)	Package Dimensions	Weight
B455/B465/B456/B466-24-00X-XX	23 5/8" (600mm)	19" (482mm)	8" (203mm)	26"(660)x21"(533)x31-5/8"(803)	75 lbs / 34 Kgs
B455/B465/B456/B466-30-00X-XX	29 5/8" (753mm)	22 3/8" (569mm)	8" (203mm)	32"(813)x21"(533)x31-5/8"(803)	84 lbs / 38 Kgs
B455/B465/B456/B466-36-00X-XX	35 5/8" (905mm)	28 3/8" (721mm)	11" (279mm)	38"(965)x21"(533)x31-5/8"(803)	95 lbs / 43 Kgs
B455/B465/B456/B466-42-00X-XX	41 5/8" (1058mm)	34 3/8" (874mm)	11" (279mm)	44"(1118)x21"(533)x31-5/8"(803)	111 lbs / 51 Kgs
B455/B465/B456/B466-48C-00X-XX	47 5/8" (1210mm)	40 3/8" (1026mm)	13" (330mm)	50"(1270)x21"(533)x31-5/8"(803)	127 lbs / 58 Kgs

For clarification, please contact Madeli Customer Care at (800) 819-6988 Ext.1 or service@madeli.com

All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice.

Edge/Profile - 48" - Double Bowl
Edge SE/Profile SE - 48" - Double Bowl

Cabinet Specifications

Features

- Edge/Edge SE-Wall hung vanity or Profile/Profile SE-Free Standing Vanity
- Two fully adjustable drawers with full-extension soft-close European hardware.
- Top and Bottom drawers include adjustable tempered glass dividers
- Furniture grade plywood or moisture-resistant wood composite construction
- Finished with a sealed, decorative veneer or with premium polyurethane solid color paints
- Handle/Inlay/Feet finish options: polished chrome (PC), brushed nickel (BN), polished nickel (PN), matte black (MB) and satin brass (SB)
- Feet furnished separately for field installation.

Drawer Boxes

- Matching color for solid color units
- Light grey for wood veneer units
- Solid wood with dovetail joints for decorative veneer units

Top/Basin options


- X-Stone 1-1/2"H top/basin
- X-Stone 4-1/2"H Trough sink
- Quartzstone 3/4"H countertop with ceramic basin

Package Dimensions


50"(1270mm) x 21"(533mm) x 31-5/8"(803mm)

Weight



127 lbs / 58 Kgs



SIDE VIEW



TOP VIEW



For clarification, please contact Madeli Customer Care at (800) 819-6988 Ext.1 or service@madeli.com

All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice.

Edge/Profile - 60" - Single Bowl
Edge SE/Profile SE - 60" - Single Bowl


Cabinet Specifications

Features

- Edge/Edge SE-Wall hung vanity or Profile/Profile SE-Free Standing Vanity
- Four fully adjustable drawers with full-extension soft-close European hardware.
- Top and Bottom drawers include adjustable tempered glass dividers
- Furniture grade plywood or moisture-resistant wood composite construction
- Finished with a sealed, decorative veneer or with premium polyurethane solid color paints
- Handle/Inlay/Feet finish options: polished chrome (PC), brushed nickel (BN), polished nickel (PN), matte black (MB) and satin brass (SB)
- Feet furnished separately for field installation.

Drawer Boxes

- Matching color for solid color units
- Light grey for wood veneer units
- Solid wood with dovetail joints for decorative veneer units



Top/Basin options


- X-Stone 1-1/2"H top/basin
- Quartzstone 3/4"H countertop with ceramic basin

Package Dimensions


61 5/8"(1565mm) x 21"(533mm) x 31-5/8"(803mm)

Weight


168 lbs / 76 kgs



SIDE VIEW



TOP VIEW



For clarification, please contact Madeli Customer Care at (800) 819-6988 Ext.1 or service@madeli.com

All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice.

Edge/Profile - 60"/72" Double Bowl
Edge SE/Profile SE - 60"/72" Double Bowl

Cabinet Specifications

Features



- Edge/Edge SE-Wall hung vanity or Profile/Profile SE-Free Standing Vanity
- Four fully adjustable drawers with full-extension soft-close European hardware.
- Top and Bottom drawers include adjustable tempered glass dividers
- Furniture grade plywood or moisture-resistant wood composite construction
- Finished with a sealed, decorative veneer or with premium polyurethane solid color paints
- Handle/Inlay/Feet finish options: polished chrome (PC), brushed nickel (BN), polished nickel (PN), matte black (MB) and satin brass (SB)
- Feet furnished separately for field installation.

Drawer Boxes

- Matching color for solid color units
- Light grey for wood veneer units
- Solid wood with dovetail joints for decorative veneer units



Top/Basin options

- X-Stone 1-1/2"H top/basin
- X-Stone 4-1/2"H Trough sink
- Quartzstone 3/4"H countertop with ceramic basin



SIDE VIEW

TOP VIEW



MODEL	CW	SCW	HL (C.C.)	Package Dimensions	Weight
B450/B460B/456/B466-60D-00X-XX	59 1/4" (1505mm)	23 7/8" (607mm)	8" (203mm)	61 5/8" (1565)x21" (533)x31-5/8" (803)	168 lbs / 76 kgs
B450/B460/B456/B466-72D-00X-XX	71 1/16" (1805mm)	29 3/4" (757mm)	11" (279mm)	73 3/8" (1865)x21" (533)x31-5/8" (803)	183 lbs / 83 kgs


For clarification, please contact Madeli Customer Care at (800) 819-6988 Ext.1 or service@madeli.com

All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice.


Edge/Edge SE - WALL HUNG VANITY

Installation Guide


TYPICAL INSTALLATION



ACCESSORIES FOR INSTALLATION



WALL PREPARATION




For clarification, please contact Madeli Customer Care at (800) 819-6988 Ext.1 or service@madeli.com

All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice.


Edge/Edge SE - WALL HUNG VANITY

Installation Guide


TYPICAL INSTALLATION



ACCESSORIES FOR INSTALLATION



WALL PREPARATION




For clarification, please contact Madeli Customer Care at (800) 819-6988 Ext.1 or service@madeli.com
All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice.

Edge/Edge SE - WALL HUNG VANITY


Installation Guide

STEP 1: Install leveling brackets



STEP 2: Place vanity on leveling bracket.

The leveling brackets are only to level the vanity.
They are not designed for permanent support.
The cabinet needs to be secured to wood backing.





Edge/Edge SE - WALL HUNG VANITY



Installation Guide

STEP 3: Secure vanity to wood reinforcement backing.


4 Screws for sizes
24, 30, 36, 42, 48C and 48D




6 Screws for sizes
60C, 60D and 72D



STEP 4: Install countertop with silicone and handle as shown below.



HANDLE OPTIONS



R-HANDLE




Y-HANDLE



HP-HANDLE

HANDLE INSTALLATION




For clarification, please contact Madeli Customer Care at (800) 819-6988 Ext.1 or service@madeli.com
All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice.


Profile/Profile SE - FREE STANDING VANITY

Feet/Base Installation


Y-FEET



R-FEET



C-BASE




FEET/BASE INSTALLATION

1. Flip cabinet in the upside down position.
2. Mark screw locations using legs/base as template.
3. Pre-drill holes with 5/64", 3/32" or 7/64" drill bit about 1/2" deep.
4. Using provided screws, fix legs/base to cabinet as shown below.


If using a regular battery drill, set clutch to minimum and increase setting as needed.

DO NOT OVER TIGHTEN THE SCREWS. DOING SO WILL SPLIT THE WOOD SIDE PANEL.


Y-FEET INSTALLATION




Flush with cabinet edges




R-FEET INSTALLATION




Recessed from cabinet edges



C-BASE INSTALLATION



Flush with cabinet edges




For clarification, please contact Madeli Customer Care at (800) 819-6988 Ext.1 or service@madeli.com

All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice.

Profile/Profile SE - FREE STANDING VANITY

Feet/Base Installation

TYPICAL INSTALLATION





This free standing vanity must be secured to wall with screws as shown below.

SECURE CABINET TO WALL


See step 4 (page 9) for countertop installation

4 Screws for sizes
24, 30, 36, 42, 48C and 48D

6 Screws for sizes
60D and 72D



HANDLE INSTALLATION




For clarification, please contact Madeli Customer Care at (800) 819-6988 Ext.1 or service@madeli.com

All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice.

Profile/Profile SE - FREE STANDING VANITY

Feet/Base Installation


TYPICAL INSTALLATION



This free standing vanity must be secured to wall with screws as shown below.

SECURE CABINET TO WALL


See step 4 (page 4) for countertop installation



HANDLE OPTIONS



HANDLE INSTALLATION



For clarification, please contact Madeli Customer Care at (800) 819-6988 Ext.1 or service@madeli.com

All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice.